

According to Ordinance (EC) No. 1907/2006 as per Article 31

Product Name: iglidur® IC-04 Amended on: 28.08.2019

SECTION 1: Description of the material or mixture and the company

Product identifier

Product name: iglidur® IC-04

Relevant identified use of material or mixture and uses which should be avoided

Relevant identified uses: coating material, powder

Uses which should be avoided: direct contact with foodstuff

Details on supplier who provides the safety data sheet

igus® GmbH Company:

Spicher Str. 1a D-51147 Köln

+49 2203/9649-0 Telephone: +49 2203/9649-222 Fax: E-mail: info@igus.de

Emergency phone number

Emergency phone number: +49 551/19240 (Poison Information Center North)

SECTION 2: Possible risks

2.1 Classification of material or mixture

Classification according to ordinance (EC) No. 1272/2008

The product is not classified as dangerous.

Classification according to OSHA 29 CFR 1910.1200HCS (USA)

OSHA HCS 2012 Combustible dust

2.2 Labelling elements

Classification according to OSHA 29 CFR 1910.1200HCS (USA)

OSHA HCS 2012 Warning

Can cause concentrations of combustible dust in the air

2.3 Other risks

No special risks are known if regulations/notes on proper storage and handling are respected.

In case of a secondary processing of the product appropriate prevention measures need to be taken. If dusts, fumes or mists occur during machining, use appropriate ventilation in order to keep the effects of air pollutants below the limit values. Dust can cause mechanical irritations.



Telefon: +420 416 711 333 o.z. LIN-TECH HENNLICH s.r.o. Českolipská 9, 412 01 Litoměřice E-mail: lin-tech@hennlich.cz



According to Ordinance (EC) No. 1907/2006 as per Article 31

Product Name: iglidur® IC-04 Amended on: 28.08.2019 Page: 2/9

In case of unintended release, remove mechanically in order to prevent the risk of slipping or tripping. Keep away from open fire since the product is combustible.

Classification according to OSHA 29 CFR 1910.1200HCS (USA)

OSHA HCS 2012 Can cause concentrations of combustible dust in the air

Classification according to WHMIS (Canada)

Can cause concentrations of combustible dust in the air

SECTION 3: Composition / information about components

The product is based on a thermoplastic polymer compound with additives and fillers.

3.1 Substances

Not applicable.

3.2 Mixtures

Not applicable.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General information: The first-aid workers must protect themselves. Move affected persons away from the danger zone. Let them rest. Do not leave affected person unattended.

Inhalation: After inhaling decomposition products, move affected person into the fresh air and position in such a way that breathing is facilitated. Seek medical treatment if complaints occur.

Skin contact: Irritations or injuries might occur due to mechanical contact. Rinse affected skin area with a lot of water. If symptoms occur, seek medical attention. Heated coating powder or coated moulded parts can cause thermal burns which could lead to pain, redness and the formation of blisters. Immediately cool affected skin areas with cold water after contact with the molten polymer. Seek immediate medical attention. Do not peel off the cooled product from the skin.

Eye contact: irritations or injuries might occur due to mechanical contact. In the case of irritations caused by dust or combustion products rinse the affected eyes for several minutes with clean water or an eyewash solution while keeping the eyelids pulled open. Check for contact lenses and remove them if applicable. Seek medical attention if complaints persist.

Ingestion: Risk of suffocation in case of small parts. Seek medical advice. Do not induce vomitting.

4.2 Most important acute and delayed symptoms and effects

Inhalation: No special effects or risks are known.

Skin contact: No special effects or risks are known. Eye contact: No special effects or risks are known.

Ingestion: No special effects or risks are known.





According to Ordinance (EC) No. 1907/2006 as per Article 31

Product Name: iglidur® IC-04 Amended on: 28.08.2019 Page: 3/9

4.3 Information on immediate medical assistance or special treatment

Inhalation: Move affected person into the fresh air and position in such a way that breathing is

facilitated. Seek medical treatment if complaints occur.

Skin contact: After skin contact rinse affected skin area with soap and water. Cool molten product

with a lot of water and do not peel off from the skin. Seek immediate medical attention.

Eye contact: Immediately rinse eyes for 20 minutes with water while keeping the eyelids pulled

open. Remove contact lenses. Seek medical attention if complaints persist.

Ingestion: Call a medical doctor immediately. Do not induce vomitting. Rinse mouth with a lot of

water.

SECTION 5: Fire-fighting measures

The product is combustible.

5.1 Fire-extinguishing agents

Suitable fire-extinguishing agents: Use water spray jet, extinguishing powder, alcohol-resistant foam or carbon dioxide

Unsuitable fire-extinguishing agents: water with full jet

5.2 Special hazards due to substance or mixture

Dangerous combustion products: in case of a fire hazardous decomposition products can occur: carbon oxides, nitrogen oxides, cyanide, ammonia, aldehydes, aliphatic hydrocarbons as well as toxic fumes, gases or particles.

Under certain fire conditions traces of other poisonous products cannot be ruled out.

5.3 Information on fire-fighting

Only stay in the danger zone with a breathing apparatus that is independent of the environmental air.

Wear personal protective equipment.

Cool endangered containers from a safe distance with water spray jet.

Settle evolving vapours with water.

Prevent flashbacks.

Dust is combustible.

Prevent penetration of fire-fighting water into surface, ground water and soil.

Wear appropriate protective clothing and keep a safety distance to avoid skin contact.







According to Ordinance (EC) No. 1907/2006 as per Article 31

Product Name: iglidur® IC-04 Amended on: 28.08.2019

SECTION 6: Measures after unintentional release

Personal precautions, protective equipment and measures to be taken in the case of emergencies

Remove mechanically in order to prevent the risk of slipping or tripping. Avoid the formation of dust. Keep away from open fire since product is combustible.

Environmental protection measures

Do not allow to penetrate into soil, surface water, drains, drain pipes or into the sewage system. Inform authorities in charge if the product has caused environmental pollution.

Methods and material for retention and cleaning

Small released quantities: remove mechanically.

Large released quantities: remove mechanically.

References to other sections

Refer to SECTION 1 for emergency contact information.

Refer to SECTION 7 for handling and storage.

Refer to SECTION 8 for information regarding suitable personal protective clothing.

Refer to SECTION 13 for further information on waste treatment.

SECTION 7: Handling and storage

Protective measures for safe handling

Notes on safe handling: Provide good ventilation or extraction systems at the processing machines. Avoid the inhalation of dusts/mists/fumes. An accumulation of dust can lead to the risk of a dust explosion. Generally prevent the accumulation of dust. Take measures against electrostatic charging. Keep away from sources of ignition.

Do not inhale gases contained in the packaging.

Observe general hygiene measures for handling chemicals.

Do not heat the product to temperatures above 300°C.

Conditions for safe storage and taking into consideration incompatibilities 7.2

Special storage conditions: Store in a cool, dry and well ventilated place. Do not store in passageways and staircases. Keep clear from sources of ignition. The product is combustible. Do not store together with strong acids, strong bases and oxidation agents. Protect from exposure to direct sunlight. Keep product packaging well sealed until use. Carefully close containers again tightly after initial opening.

Storage class according to TRGS 510: (11) combustible solids.

Observe the usual measures of preventive fire-fighting.



Telefon: +420 416 711 333 o.z. LIN-TECH HENNLICH s.r.o. Českolipská 9, 412 01 Litoměřice E-mail: lin-tech@hennlich.cz



According to Ordinance (EC) No. 1907/2006 as per Article 31

Product Name: iglidur® IC-04 Amended on: 28.08.2019

Specific final applications

Recommendations: not available

Specific solutions for the industrial sector: not available

Remarks: Do not stack container packages on top of one another without securing them.

SECTION 8: Limitation and monitoring of exposure/personal protective equipment

8.1 Parameters to be monitored

Occupational exposure limit values:

| Material | CAS-no. | Limit value (8h ppm) | Limit value (8h mg/m³) | Short term value (15 min. ppm) | Short term value (15 min. mg/m³) | Note |
|--|---------|-------------------------|---------------------------|--------------------------------------|--|-------------------|
| Dust (general dust limit value) | | | 10 | | | Inhalable dust |
| Dust limit value | | | 4 | | | Alveolar dust |

DNEL/PNEC: no values available

Limitation and monitoring of exposure

A good normal ventilation of the work place should be sufficient to limit workers' exposure with regard to air pollutants. During machining good ventilation or extraction systems at the processing machines are required.

Personal protective equipment

If recommended uses and applications are adhered to, no personal protective equipment is required.

Eye/face protection Protective goggles with closed sides (EN 166)

Skin protection Impervious gloves. Gloves made of plastic or synthetic rubber. If

heated material is handled, use heat-insulating gloves EN407 (Heat)

Breathing protection If occupational exposure limit values will probably be exceeded an

use breathing protection mask with particle filter (EN143).

SECTION 9: Physical and chemical properties

Information on the basic physical and chemical properties



Telefon: +420 416 711 333 o.z. LIN-TECH HENNLICH s.r.o. Českolipská 9, 412 01 Litoměřice E-mail: lin-tech@hennlich.cz



According to Ordinance (EC) No. 1907/2006 as per Article 31

Product Name: iglidur® IC-04 Amended on: 28.08.2019 Page: 6/9

Appearance: plastic moulded part/solid

Colour: grey

Odour: weak, product-specific

Odour threshold: not determined (not required with regard

to safety and application)

pH value: not applicable

Melting point/freezing point: not determined

Initial boiling point and boiling range: not applicable, product decomposes

Flashpoint: not applicable not applicable Evaporation rate: Flammability (solid, gaseous): not determined Upper/lower flammability or explosion limits not applicable Vapour pressure: not applicable Vapour density: not applicable not determined Relative density: Solubility(ies): insoluble in water Distribution coefficient: n-octanol/water: not applicable Self-ignition temperature: not determined as of 450°C Decomposition temperature: Viscosity: not applicable Explosive properties: not applicable Oxidizing properties: not applicable

9.2 Additional information

For further technical information on the solid please refer to the respective material data sheet/product information sheet.

SECTION 10: Stability and Reactivity

10.1 Reactivity

When the regulations/notes on the storage and handling are observed, this material is not deemed to have any dangerous reactions.

10.2 Chemical stability

The product is chemically stable during appropriate use. Do not heat the product to temperatures above [refer to point 7.1].

10.3 Possible hazardous reactions

Under normal storage conditions and appropriate use there will be no hazardous reactions.



igus®

According to Ordinance (EC) No. 1907/2006 as per Article 31

Product Name: iglidur® IC-04 Amended on: 28.08.2019 Page: 7/9

10.4 Conditions to be avoided

The thermal decomposition of the product starts as of 450°C.

10.5 Incompatible materials

Avoid the contact with strong acids, strong bases, strong oxidizing agents and concentrated sulphoric acid.

10.6 Dangerous decomposition products

No dangerous decomposition products are known if product is appropriately used, stored and handled and when maximum operating temperatures are adhered to (see Section 7.1). Dangerous combustion products are listed in Section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

During proper handling and appropriate use the product does not have any acute detrimental health effects according to our current knowledge.

During processing good ventilation or extraction systems at the processing machines are required.

SECTION 12: Environmentally relevant information

12.1 Toxicity

Conclusion / Summary: not available

12.2 Persistence and degradation

Conclusion / Summary: not/poorly degradable

12.3 Bioaccumulation potential

No bio-availability

12.4 Mobility in the soil

Distribution coefficient soil/water (Koc): not applicable

Mobility: not applicable

12.5 Results of PBT and vPvB assessment

PBT: not applicable vPvB: not applicable

12.6 Other detrimental effects

No special effects or dangers are known. However, do not allow to penetrate into the environment, ground waters, surface waters or the sewage system.



o.z. LIN-TECH HENNLICH s.r.o.
Českolipská 9, 412 01 Litoměřice
Telefon: +420 416 711 333
E-mail: lin-tech@hennlich.cz



According to Ordinance (EC) No. 1907/2006 as per Article 31

Product Name: iglidur® IC-04 Amended on: 28.08.2019 Page: 8/9

SECTION 13: Disposal information

13.1 Procedures of waste disposal

The product can be incinerated in an approved plant in compliance with technical guidelines or stored together with domestic waste in an appropriate landfill site.

Waste name: plastic waste.

EC waste key no.: The waste keys are linked to the intended uses of this product.

Contaminated packaging: Packaging that cannot be cleaned has to be disposed of in the same way as the product itself.

General: Prevent the release into the environment. Dispose of in compliance with regional respectively national safety instructions.

SECTION 14: Transport information

Not deemed to be hazardous goods according to the transport regulations

14.1 UN number

Not applicable

14.2 Appropriate UN shipping name

Not applicable

14.3 Transport hazard class

Not applicable

14.4 Packaging group

Not applicable

14.5 Environmental risks

None known

14.6 Special precautions for the user

None known

14.7 Bulk transport according to Annex II of the MARPOL – Convention and according to the IBC Code

Not applicable

SECTION 15: Legal regulations

15.1 Regulations on safety, health and the protection of the environment/ specific legal regulations for the product or mixture



o.z. LIN-TECH HENNLICH s.r.o.
Českolipská 9, 412 01 Litoměřice
Telefon: +420 416 711 333
E-mail: lin-tech@hennlich.cz



According to Ordinance (EC) No. 1907/2006 as per Article 31

Product Name: iglidur® IC-04 Amended on: 28.08.2019 Page: 9/9

This product does not require labelling according to EU guidelines.

Water hazard class: not hazardous to water

15.2 Chemical safety assessment

No chemical safety assessment is necessary.

The product is not classified as dangerous.

SECTION 16: Other information

There is no legal requirement to provide a Safety Data Sheet for this product and it is only provided by us for customer service reasons.

The information provided above in this Safety Data Sheet is based on the current state of our knowledge and experience and describes the product with regard to safety requirements. The information does not provide any analysis certificate or technical data sheet respectively a description of the quality guarantee of the goods. An agreement or quality agreement or the suitability of the product for a concrete intended use purpose may not be derived from the intended use listed in the safety data sheet. The recipient of the product is responsible for compliance with existing laws and regulations and possible property rights.

The product is not classified as hazardous so that no obligation to supply a safety data sheet according to REACH Art. 31, Section 1, exists. The presented product information was created in its layout according to REACH, Annex II, in order to meet the information requirements according to REACH Art. 31 Sect. 3, Art.32 and Art. 33 also for products, where no accompanying safety data sheet is required upon delivery of the product.

This document is not subject to a change service.

This is to certify that the above translation from German into English is complete and correct.

Sabine Bartsch Königswinter, 16.9.2019 Certified translator for the Higher Regional Court of Cologne/Germany

